



Client-server systems

Introduction



Database + Interface with user


Good⇒.....Better




Client-server systems: description

- A “client” is a program that runs on the computer which you access in the first place (often your desktop PC or an online access computer).
- Each client provides an interface to each of the “services” (databases, online files, e-mail, ...) that are made available by other systems, which are called “servers.”


Client-server computing architecture




Client-server database systems: description

- The user specifies which database(s) to query and formulates a query, using the client software.
 - The client software then connects to the database(s) and submits the query, in a structure suitable for communication between client and server.
 - The server retrieves data from the database, orders these, and returns these to the client.
 - The client processes the incoming data, and presents them to the user.
- 

Client-server database systems: software involved




Client-server database systems: computers that may be involved



Client-server systems: specific cases (Part 1)

- **1 computer, 1 client/server system**


Example: a client-server database system used on a personal computer



- **2 computers, 1 client/server system !**

client software at user's personal computer
+ server software at remote server computer
(= most common situation)


Examples: telnet, WWW, e-mail, ...



Client-server systems: specific cases (Part 2)

- **2 computers, 2 client/server systems**


Example: telnet to another computer and on that computer another client/server process



Client-server systems: specific cases (Part 3)

- **3 computers, 2 client/server systems**

Example: telnet to another computer and on that computer start of another client/server process with a 3rd computer




Client-server systems: “thin” and “fat” clients

- **Dumb terminal**
(not really a client)
- **X- or ICA-terminal**
(thin client)
- **Network computer:**
NC or NetPC
(thin or fat client)
- **PC**
(fat client)




Increasing

- cost of hardware
- cost of maintenance
(cost of ownership)
- complexity
- host/server independence
and possible customization




Client-server systems: dumb terminals as clients

- **Wired to a central computer**
(mainframe or minicomputer).
- **Not really a client in a client-server system, because**
programs originate and execute on the central computer,
and not on the terminal.
- **Text-based; only poor graphics built with characters.**




Client-server systems: X- or ICA-terminals as clients

- Networked to a server computer.
- Programs originate and execute on the server computer; graphics execute on the terminal.
- Example of a “thin” client.




Client-server systems: NC network computers as clients

- Networked to a server computer.
- Programs originate on the server computer, and execute on the server or on the terminal (= the NC network computer, in this case).
- Example of a “thin” client.



Client-server systems: PCs as clients

- In the case of a client-server system:
networked to a server computer.
- Programs usually originate and execute on the terminal
(= PC, in this case),
but may also originate and execute on the server
computer.
- A “fat” client.




Client-server systems: thin clients

Thin clients can work best in the following situations:

- When older, text-based terminals are replaced.
- When users work with a limited set of programs.
- When users share desktops.
- When remote users are difficult to support.
- When the applications revolve around remote data
instead of local data.
- When data security is most important.

Client-server systems

Benefits and problems




?? Question ??

Which benefits offers the client-server architecture to the user?




Client-server systems: benefits for the user of the system (Part 1)

- 😊 The user needs to know a smaller number of user interfaces, when more than one server can be accessed by the same client, compared with the case when every system offers its own interface.



Client-server systems: benefits for the user of the system (Part 2)

- 😊 When more than 1 client is available for a type of server, then the user can make a choice and work with the interface offered by that particular client software, which is well adapted to his/her situation, knowledge and experience.



Client-server systems: benefits for the distributor of data

- 😊 The distributor needs to be concerned less with the user interface; instead, his/her server only has to be compatible with the “important” client programs, that is, with one or several important client-server protocols.
- 😊 Due to the benefits for the user (sometimes = buyer), the number of users / consumers / buyers will grow.

Client-server systems: benefits for database system management

- 😊 The user interface and some other functions can be processed by the (micro)computer of the user, when this executes the client retrieval software. This makes the workload lighter
 - » of the database computer
(Which executes the data server software) and
 - » of the data communication network
(Which must transfer less data concerned with the user interface)

Client-server systems: problem with client programs for *Windows*

- The preferences, history, bookmark, mail and news files of the *Windows* client programs on the microcomputer can and should be adapted by every user. This is a problem when these files are stored on the hard disk on the client microcomputer, when more than 1 person uses this same microcomputer.
- Solution: install the system so that personal files can easily be stored in a personal directory on a drive in the local network.


Client-server systems: programs compatible with protocols

- The client-server protocols all have one part concerning the client and one concerning the server.
- Programs used at the client as well as at the server side can be compatible *to a certain extent* with such a client-server protocol.
- Compatibility is in most real cases not a full YES or NO.

	Client	Server
Protocol:		
<i>Programs:</i>	<i>Client</i>	<i>Server</i>

Client-server systems

Examples



?? Question ??

Which client-server protocols do you know?



Client-server systems: examples in the Internet

- nfs
- telnet
- ftp
- gopher
- HTTP (WWW)
- Z39.50
- E-mail SMTP
- E-mail POP
- E-mail IMAP
- News NNTP

?? Question ??

Which client-server client *programs*
do you know?




?? Question ??

**How do most computer services
or information and communication services
think about the client-server approach?
What are the consequences
for their work and workload?**



Client-server systems

Trends



?? Question ??

How is the client-server approach evolving?



Client-server systems: trends

- From few central server computers (mainframes for instance) with dumb terminals, to more server computers with a diversity of “thin” to “fat” client computers.
- From Internet client software dedicated to a particular server, to more applications of more generic client software.
(Example: incorporation of functions/servers in the WWW accessible with 1 big multipurpose, generic WWW client program.)

- **You are free to copy, distribute, display this work under the following conditions:**



» Attribution:

You must mention the author.



» Noncommercial:

You may not use this work for commercial purposes.



» No Derivative Works:

You may not change, modify, alter, transform, or build upon this work.

- **For any reuse or distribution, you must make clear to others the license terms of this work.**